

Heterogeneous vinyl

Play to win

OMNISPORTS



WHY CHOOSE TARKETT SPORTS 4

HOW TO CHOOSE YOUR SURFACE? 6

SOLUTION GUIDE..... 8

WHY CHOOSE OMNISPORTS? 10

LEISURE FLOORINGS 12

SPORTS FLOORINGS..... 14

CHOOSE YOUR COLOURS..... 16

3 INSTALLATION POSSIBILITIES 18

OUR COMMITMENT TO CLEANLINESS 20

OUR EXPERTISE AT YOUR SERVICE 22

OUR COMMITMENT TO THE PLANET 24

A TURNKEY SOLUTION 26

SOME OF OUR REFERENCES 28

PRODUCT LISTING 30

TECHNICAL DATA 31





IS A WORLD LEADER IN ATHLETIC SURFACES,
OFFERING COMPLETE SOLUTIONS OF INDOOR AND OUTDOOR SPORTS FLOORINGS,
THROUGH ITS MULTIPLE OF OWN BRANDS.

OUR MISSION: OFFER SUSTAINABLE SPORTS SURFACES
THAT MAKE THE DIFFERENCE FOR ATHLETES, IN PUBLIC AND PRIVATE FACILITIES.



A EUROPEAN MANUFACTURER

Tarkett Sports is a French group with our head office based in Paris - La Défense. Our solutions are manufactured in our technologically advanced European factories: Vinyl and Synthetic turf (France), Linoleum (Italy), Wood (Sweden).



AN INNOVATIVE LEADER

Inventor of synthetic turf systems: 3G, Core fibre, ProMax Hydroflex, PureGrain corn infills, the intelligent Genius system and Omnisports vinyl with the exclusive GreenLay™ installation method.



A NETWORK OF EXPERTS

Tarkett Sports works with its teams and the most experienced and competent local partners in the industry, for the design and installation of your sports facilities.



A SUSTAINABLE LEADER

Our solutions help to create pleasant sports areas in a healthier environment, thanks to permanent innovations in product design, environmental friendly factories and end of life recycling programmes.



AN EXPERIENCED LEADER

Almost 100 million sqm installed, more than 20,000 sites in the world and as many satisfied customers.



A LEADER AT YOUR SERVICE

We are as committed to your project as you are. When you choose Tarkett Sports, you choose a company that knows how to take care of you and the players.



LUDOVIC GAILLOT

ARCHITECT - PELLEAU & ASSOCIÉS



«We wanted to bring dynamism and create a friendly space for this sports facility through the use of colours. The variety of Omnisports' colour palette allowed us to think outside the box and let our imagination roam free. We were able to create an original environment that garnered positive feedback from both players and the City.»

XAVIER FABRE

SPORTS DEPARTMENT - VILLEURBANNE



«Our maintenance teams are particularly pleased with Tarkett Sports' flooring in Astroballe hall. After more than 10 years, the facility is still in perfect condition and many European clubs asked how we did to have such high quality wood flooring!»

RICHIE GRAY

COACH AND MANAGING DIRECTOR MONTPELLIER - HERAULT RUGBY



«Partnering with Fieldturf® was an easy decision for me and my company. Having experienced their product first-hand and understanding Tarkett Sports commitment to innovation and customer service, makes this an exciting opportunity.»


LEE JACKSON

GARDEN KEEPER MANCHESTER CITY



«Thanks to the efforts of a motivated team and an hybrid turf system, we now have one of the best fields in the English Premier League. The GrassMaster system allows us to keep draining playing surface, stable and homogeneous.»

1 CHOOSE THE SURFACE ADAPTED TO YOUR USAGE



Leisure - All types of players
Ideal for fitness, leisure and wellness facilities
Best option: Omnisports Compact, Speed & Training

P1 - Light to medium weight players
Ideal for school, leisure and extra sportive use
Best option: Omnisports Reference *Multi-use*

P2 - All types of players
Ideal for competition, frequent and intense trainings
Best option: Omnisports Active+ & Pureplay


2 ENSURE PLAYERS' SAFETY

The single surface embossing combined with TopClean XP™ treatment provides the proper balance of friction and grip control, whatever the colour or design.

“

Tarkett sports difference

No change in grip and underfoot feeling when moving from solid to pattern



3 MAKE SUSTAINABLE CHOICES

Tarkett Sports is committed to an environmental strategy based in particular on qualitative components choice to design its products, users' health and well-being, as well as materials reuse. Our Omnisports products are:

- Recyclable post-use*
- Contain recycled content up to **32%**
- ReStart® ready

4 CHOOSE HEALTHIER INDOOR SPACES

Indoor air quality is essential for athletes' health and especially children who are exposed to higher risk of indoor pollution due to immature lungs.

That's why choosing a sports flooring made from carefully selected materials that contributes to better indoor air quality is key for any project. Our Omnisports products feature the following:

- Extremely low VOC emissions <10µg/m³
- Phthalate-free
- Biocide-free
- Approved by the Seal of Approval of Allergy UK

5 SECURE YOUR INVESTMENT ON THE LONG TERM

Sports facility projects entail significant investments that require a reliable safeguard. With its expertise, know-how and worldwide reputation, Tarkett Sports is confident in its products and is committed to guaranteeing them for 15 years. Experience the industry's highest and non-degressive warranty for your peace of mind.












6 MANAGE YOUR COSTS

On average, the overall investment budget for a flooring system is divided into 20% for its purchase and 80% for its maintenance. This is why it is crucial to carefully select a high-quality sports flooring that is easy to maintain and has a reliable installation method, as part of the GreenLay™ method, which is more cost-effective:

- Minimised installation down-time: 20% faster installation
- Minimised installation costs: with only 2% of the surface glued
- Simplified maintenance thanks to our ToP Clean XP™ surface treatment and exclusive surface embossing across our entire Omnisports range



- Highly recommended
- Highly recommended with Lumaflex sub-construction
- Suitable

| | OMNISPORTS | | | | | | | | |
|--|-------------------|---------------|----------------------------|--------------------|----------------|-----------------------------|-----------------|----------------|--|
| | LEISURE FLOORINGS | | | | | EN14904 CERTIFIED FLOORINGS | | | |
| | COMPACT 2.0 MM | SPEED 3.45 MM | SPEED TABLE TENNIS 3.45 MM | DANCEFLOOR 3.45 MM | TRAINING 5.0MM | REFERENCE MULTI-USE 6.2 MM | ACTIVE + 8.1 MM | PUREPLAY 9.4MM | |
| | p. 12 | p. 12 | p. 12 | p. 12 | p. 12 | p. 14 | p. 14 | p. 14 | |
|  Multi-sports | | | | | | ● | ● | ● | |
|  Multi-use | ○ | | | | | ● | | | |
|  Basketball | | | | | | ● | ● | ● | |
|  Volley-ball | | | | | | ○ | ● | ● | |
|  Handball | | | | | | ○ | ● | ● | |
|  Futsal | | | | | | ● | ● | ● | |
|  Table tennis | | | ● | | | ● | | | |
|  Badminton | | | | | | ● | ● | ● | |
|  Fitness - aerobics | | ● | | | ● | ● | ● | | |
|  Fitness - cardio (bikes, tradmills, rowing machines,...) | ● | ● | | | | | | | |
|  Wellness centres | | ● | | | ● | ● | | | |
|  Handisports | ○ | | | | | ○ | | | |
|  Ballet dance | | | | ● | | | | | |
|  Yoga | | | | | ● | ● | ● | ● | |
|  Tai Chi | | | | | ● | ● | ● | ● | |
|  Traffic areas (corridors, entrance halls, meeting rooms,...) | ● | | | | | | | | |

* Except electric wheelchairs



X3LT EXCLUSIVE TECHNOLOGY

“

GLASS VEIL

Less is more!
Extremely tough
single glass
veil reinforcement

2X

BETTER IDENTATION
RECOVERY THAN
SIMILAR PRODUCTS

+

“

CALENDARED SHEET

High performance &
durability, made from
recycled material

Up to
60%
RECYCLED CONTENT

+


“

XCS FOAM

High expansion rate
and recovery, less fillers
for maximized
performances

+12%*
IMPROVED
SHOCK ABSORPTION

WITH OMNISPORTS X3LT
YOU CAN FEEL THE DIFFERENCE!



1

PROTECTION LAYER

OMNISPORTS IS BACKED WITH A SINGLE SURFACE EMBOSSING
COMBINED WITH TOPCLEAN XP™ SURFACE TREATMENT

- Consistent surface feel and friction, whatever the colour or design!
- Perfect balance of friction and grip control
- Easy and cost-effective maintenance



2

WEAR LAYER

PUR VINYL WEAR LAYER, 30% THICKER THAN EQUIVALENT PRODUCTS IN
THE MARKET

- Increased durability
- High mechanical resistance
- Optimal stain resistance

3

DESIGN LAYER

HIGH-DEFINITION PRINTING FOR HIGHER COLOUR INTENSITY AND REALISTIC
WOOD SURFACE APPEARANCE

- Endless design possibilities: Learn more about Omnisports design options
page 16.

4

PERFORMANCE LAYER

OMNISPORTS X3LT TECHNOLOGY

- Boosted sports experience allowing longer and safer play time
for both recreational and competitive activities
- Continuous performance for product lifespan**
- Suitable for multi-purpose activities





OMNISPORTS **COMPACT** 2.0 MM

Ideal for traffic areas and cardio equipment in fitness facilities

- Withstands heavy traffic
- Equipment-friendly: excellent resistance to indentation marks and easy circulation of rolling loads
- Suitable for installation with Lumaflex Energy or Evolution sub-construction: area-elastic system (A4), ideal for multi-sports facilities and light multiuse purposes.



OMNISPORTS **SPEED** 3.45 MM

Ideal for walking and acoustic comfort in fitness, leisure and wellness areas

- Versatile use in leisure facilities
- Equipment-friendly: high resistance to indentation marks and rolling loads
- Comfortable walking and acoustic experience



OMNISPORTS **TRAINING** 5.0 MM

Ideal for small sports facilities and leisure areas

- Increased protection and comfort: shock absorption level >17%
- Good walking and acoustic experience
- Increased longevity



OMNISPORTS **SPEED TABLE TENNIS** 3.45 MM

Textured sports surface ideal for table tennis practice


- Balanced grip for responsive and safe game play
- Ideal for portable installation in tournaments and championships
- Comfortable and supportive underfoot feel



DANCEFLOOR 3.45 MM

The ideal solution for dance studios professional and amateur classic ballet

- Excellent grip: secure footing for precise dance movements
- Supportive surface prioritizing dancers' protection
- Perfect matte



P1



OMNISPORTS REFERENCE **MULTI-USE** 6.2 MM

Ideal flooring for multi-sports practice and non sporting events

- Optimal safety and performance: shock absorption level $\geq 25\%$
- Equipment-friendly: excellent resistance to indentation marks from tables and other equipment
- Reliable for multi-use spaces, catering to a wide range of activities and events



P2



OMNISPORTS ACTIVE + 8.1 MM

Ideal balance of performance & comfort for multi-sports

- Perfect balance of performance and comfort for variety of sports: shock absorption level $\geq 35\%$
- Enhanced gameplay and training sessions with uniformly reactive surface
- Suitable for high level sports practice



P2



OMNISPORTS PUREPLAY 9.4 MM

Extreme protection, comfort and sports performances

- Advanced protection and comfort: shock absorption level $\geq 35\%$
- Excellent game experience with supportive surface
- Suitable for high level sports practice





CHOOSE YOUR COLOURS

Endless design possibilities

LIGHT REFLECTANCE VALUE (LRV)

Our Omnisports contribute to the brightness of the spaces and factor into the overall LRV calculation of a sports facility.

Omnisports designs offer a diverse selection of LRV values with different levels of clarity, and based on the project criteria, they help conserve energy by reducing artificial lighting.



Create your dream court online



Sports centre, Lançon-Provence, France ©Lisa Ricciotti

A LARGE PALETTE OF 24 MODERN AND VIBRANT COLOURS & DESIGNS



● ON DEMAND

for Compact, Speed & Training, minimum quantity: 700m² (+/- 10%)

Please refer to page 30 for product codes



CUSTOMISED OFFER

Would you like a sports hall with your city or club colours?

Create your own colour based on other Tarkett collections or from RAL/ Pantone/ NCS proposal.

*Minimum quantity 800m² (+/- 10% by colour)
Leadtime 7 weeks*

OMNISPORTS ALLOWS 3 INSTALLATION POSSIBILITIES TO ACCOMMODATE EACH FACILITY'S PARTICULAR CIRCUMSTANCES:


1 GLUED INSTALLATION METHOD: TRADITIONAL METHOD WITH ACRYLIC GLUE

2 GLUED ON TARKOLAY: INSTALLATION METHOD WITH ISOLATING MEMBRANE

3 GREENLAY™: EXCLUSIVE LOOSE-LAY INSTALLATION METHOD

GreenLay™ is a sustainable loose-lay installation method with only 2% of the surface glued offering an economical and convenient solution.

- This unique method is made possible by:
- The product's outstanding dimensional stability (0.10%)
 - Omnisports Reference *Multi-use*, Active+ & Pureplay's weight
 - The honeycomb backing, creating a suction effect



**Unique 2M
roll width**

30% less welding
required,
decreasing the areas
at risk of soiling.

QUICK & EASY TO INSTALL



- Reduced installation time by **20%**
- **Immediate** setting in traffic
- **Easy access to subfloor** after installation with no damage to the subfloor.

PROVEN RELIABILITY



- **EN14904** compliant
- **25 years** of experience feedback
- Over **2 millions** sqm installed
- **10 years** warranted installation method

CONVENIENT & ECONOMICAL



- Resistance to **rising moisture, up to 7%**, and heated subfloors
- Solution for **asbestos floors** covering
- **Less than 10kg** of glue required per 1000sqm
- Eligible for ReStart® program with **no recycling costs** charged to the customer*



**MORE THAN 2 MILLIONS M²
FOR MORE THAN 25 YEARS**



EASE OF MAINTENANCE

NO
5'CLOCK
SHADOW

Omnisports Reference
Multi-use

Competitor's product

MAINTENANCE HAS NEVER BEEN EASIER
WITH OMNISPORTS SURFACE TREATMENT
TOPCLEAN XP™

Omnisports products benefit from a factory-applied polyurethane surface treatment TopClean XP™ that makes them extremely resistant to abrasion, scratches, stains, and chemicals, making them easier to maintain. Omnisports' TopClean XP™ surface treatment reduces cleaning and maintenance by simplifying the process.

ONLY
1%
OF DETERGENT
FOR ROUTINE
MAINTENANCE

| | | |
|--|---|---|
| | | |
| DAILY MANUAL MAINTENANCE | WEEKLY MECHANICAL MAINTENANCE | PERIODICAL MAINTENANCE (only 4 times per year) |
| <ul style="list-style-type: none"> Remove dust by sweeping. | <ul style="list-style-type: none"> Remove dirt with automatic scrubber machine fitted out with a red pad and only 1% of detergent. | <ul style="list-style-type: none"> Remove encrusted dirt with automatic scrubber machine fitted out with a red pad and alkaline detergent. |

For more detailed technical information, please refer to maintenance guides available on our website.



VALUE YOUR JOBSITE WASTE!

RESTART®: FREE COLLECTION AND RECYCLING SERVICE

- Optimises jobsite waste management.
- Guarantees traceability of collected off-cuts.
- Integrates sustainable development and anticipates European regulation requirements.



TAILORED OFFER

ROLL LENGTH ON DEMAND

Tarkett Sports can handle your length requirement in order to give you and your project the personal attention to details you deserve:

- Available by «multiple» of 10cm
- Reduces waste
- Time saving

Minimum quantity: 250m² (per colour)

GET THE AMOUNT YOU REALLY NEED

CUT SERVICE

- Available for all product profiles on stock rolls.
- Minimum quantity: 5m².

IMPROVE YOUR KNOWLEDGE OF INDOOR SPORTS

TAILORED TRAINING MODULES

Contact our professional and passionate training team for specific training modules that fits your needs:
training.sport@tarkett.com



**A QUESTION?
A PROJECT?**

Contact us !

Our dedicated team of passionate experts will guide you throughout your project:
info.tarkettsports.indoor@tarkett.com



OUR ECO-DESIGN APPROACH IS FOUNDED ON THREE INTERRELATED PILLARS



CLIMATE AND CIRCULAR ECONOMY

We continuously work on closing the loop on waste, using more recycled content to preserve our planet's natural resources, and ultimately **reducing** our carbon emissions and **impact on climate change**.

- Six recycling centres and five sustainable production sites in EMEA
- Our ReStart® program offers hassle-free flooring take-back
- Recycling waste and post-use*
- Using and increasing use of recycled content in our products
- Continually working to reduce our products' carbon footprint – scope 1 to 3



GOOD MATERIALS

We offer radical transparency about our products and subject ourselves to external scrutiny so that you can be **clear on the health and environmental performance** of our flooring and confident in your choice.

- Phthalate-free and biocide-free products
- Responsible use of PVC
- Full transparency on our products' ingredients, providing third-party assessments (EPD, MHS)
- Product development following Cradle to Cradle® approach




HEALTH & WELL-BEING

Contribute to **athletes' well-being** by providing healthy sports spaces with the **highest standards of Indoor Air Quality**.

- Floorings with VOC lower than the most stringent regulations
- Asthma & allergies certifications
- Developing cleaning protocols to reduce the use of biocides and harmful chemicals



FULL SOLUTION PROVIDER
FOR ALL THE AREAS OF YOUR PROJECT
A DEDICATED EXPERT TO GUIDE
THROUGHOUT THE PROCESS




**CONVERT YOUR SPORTS FACILITY INTO TEMPORARY SOCIAL EVENT HALL
WITH OUR PROTECTION SOLUTIONS:**



PROTECTILES
Textile protection tiles
1 box of 5 pcs - 10m²
total weight: 3.1kg/m²
total thickness: 5.2 mm
1 m x 2 m



TROLLEY FOR PROTECTILES
Ideal flooring
for traffic areas
Capacity: 100 Protectiles



TOUCHDOWN
PVC floor protection
total weight: 2.2kg/m²
total thickness: 1.45mm
2m x 271m



UNROLLER FOR TOUCHDOWN
2 elements kit
(A) device
(B) chuck

Some of our references...



Teddy Riner gymnasium
Lesquin, France



L'Usine
Tarbes, France
© Communauté d'Agglomération
Tarbes - Lourdes, Pyrénées



CREPS Pays de la Loire
La Chapelle-sur-Erdre,
France
© Brunet - Monié



Mabilion high school
Sedan, France



Pierre Talagrand sports center
Dole, France
© Paul Kozlowski



Medical Stadium
Merignac, France
© Guillaume Guérin



DreamFit
San Sebastian, Spain



Coum gymnasium
Ploudalmezeau, France
© Pascal Léopold



Agora gymnasium
Bouillargues, France
© Erick Saillet



Pierre Mazeaud gymnasium
Saint-Cyr-L'école, France
© Stéphane Aboudaram

| DESIGN | COLOUR | OMNISPORTS PRODUCT CODES | | | | | | WELDING RODS | | | |
|------------|----------------|----------------------------------|---------|----------|---------------------|----------|--------------------|-------------------|---------------|------------|-----|
| | | COMPACT | SPEED | TRAINING | REFERENCE MULTI-USE | ACTIVE+ | PUREPLAY | 4 MM (DANCEFLOOR) | 5 MM | NCS | LRV |
| SOLID | ROYAL BLUE | 3917016 | 3707016 | 3708016 | 26528016 | 26541016 | | | 1285367 | S6030-R90B | 10 |
| SOLID | NIGHT BLUE | 3917024 | 3707024 | 3708024 | 26528024 | 26541024 | | | 1285029 | S4050-R90B | 12 |
| SOLID | SKY BLUE | 3917017 | 3707004 | 3708017 | 26528017 | 26541017 | 26513017 | | 1285172 | S4040-R90B | 19 |
| SOLID | TEAL | 3917015 | 3707015 | 3708015 | 26528015 | 26541015 | | | 1285015 | S3050-B40G | 19 |
| SOLID | LAGOON | 3917034 | 3707034 | 3708034 | 26528034 | 26541034 | | | 1285195 | S2030-B40G | 43 |
| SOLID | CORAL | 3917033 | 3707033 | 3708033 | 26528033 | 26541033 | 26513033 | | 1285633 | S2070-Y80R | 19 |
| SOLID | MAGENTA | 3917022 | 3707022 | 3708022 | 26528022 | 26541022 | | | 1285030 | S2060-R30B | 15 |
| SOLID | PURPLE | 3917025 | 3707025 | 3708025 | 26528025 | 26541025 | | | 1285027 | S4050-R40B | 10 |
| SOLID | RED | 3917011 | 3707003 | 3708011 | 26528011 | 26541011 | | | 1285808 | S4050-R | 11 |
| SOLID | GREY | 3917009 | 3707009 | 3708009 | 26528009 | 26541009 | 26513009 | 1288341 | 1285183 | S5500-N | 21 |
| SOLID | BLACK | 3917010 | 3707010 | 3708010 | 26528010 | 26541010 | | 1292206 | 1285206 | S9000-N | 5 |
| SOLID | ORANGE | 3917012 | 3707012 | 3708012 | 26528012 | 26541012 | | | 1285139 | S2060-Y50R | 29 |
| SOLID | YELLOW | 3917013 | 3707013 | 3708013 | 26528013 | 26541013 | | | 1285013 | S2050-Y10R | 45 |
| SOLID | MINT GREEN | 3917026 | 3707002 | 3708026 | 26528026 | 26541026 | | | 1285365 | S4040-B90G | 17 |
| SOLID | LIGHT GREEN | 3917020 | 3707020 | 3708020 | 26528020 | 26541020 | | | 1285025 | S2060-G60Y | 37 |
| SOLID | LIME | 3917035 | 3707035 | 3708035 | 26528035 | 26541035 | | | 1285122 | S1060-G80Y | 52 |
| WOOD | LIGHT MAPLE | 3916019 | 3911019 | 3709019 | 26528019 | 26542019 | 26505019 | | 1285031 | S2010-Y20R | 47 |
| WOOD | BEECH | 3916001 | 3911001 | 3709001 | 26528001 | 26542001 | | | 1285363 | S4030-Y20R | 30 |
| WOOD | GOLDEN MAPLE | 3916002 | 3911002 | 3709002 | 26528002 | 26542002 | 26505002 | | 1285368 | S3030-Y20R | 36 |
| WOOD | CLASSIC OAK | 3916003 | 3911003 | 3709003 | 26528003 | 26542003 | | | 1285016 | S4030-Y20R | 24 |
| WOOD | DARK BEECH | 3916020 | 3911020 | 3709020 | 26528007 | 26542020 | | | 1285032 | S7020-Y60R | 8 |
| WOOD | MAPLE RED | 3916006 | 3911006 | 3709006 | 26528006 | 26542006 | | | 1285808 | S4050-Y90R | 10 |
| WOOD | MAPLE GREY | 3916005 | 3911005 | 3709005 | 26528005 | 26542005 | 26505009 | | 1285183 | S5502-Y80R | 19 |
| WOOD | MAPLE SKY BLUE | 3916017 | 3911017 | 3709017 | 26528014 | 26542017 | | | 1285035 | S3040-R90B | 21 |
| DANCEFLOOR | | GREY : 3685002 - BLACK : 3685001 | | | | | SPEED TABLE TENNIS | | RED : 3910002 | | |

ACCESSORIES & PROTECTION PRODUCT CODES:

| | | | | |
|--|------------------------------------|---|---|---|
| GREENLAY™ GLUE 210998002 | GREENLAY™ TARKOTAPE 1551185 | TARKOLAY UNDERLAYER 3960005 | ALUMINIUM RAMP 210997 001 | VENTILATED SKIRTING FOR GREENLAY™ & TARKOLAY INSTALLATION Oak varnished: 1551067 Beech varnished: 1551065 |
| PROTECTILES Anthracite: 44003000 Light grey: 44003001 Dark brown: 44003002 Night blue: 44003003 Red: 44003004 | TROLLEY FOR PROTECTILES 1568001 | TOUCHDOWN Chalk: 3964005 Concrete dark grey: 3964006 Concrete cool grey: 3964007 | UNROLLER FOR TOUCHDOWN (A) device : 1562001 (B) chuck : 1562002 | |

| TECHNICAL DATA | STANDARD | COMPACT | SPEED | TRAINING | REFERENCE MULTI-USE | ACTIVE + | PUREPLAY |
|-----------------------------------|---------------------------|---|-------------------------------------|-------------------------------------|--|--|--|
| CERTIFICATION & CLASSIFICATION | | | | | | | |
| Type of floor covering | EN 14041 | Heterogeneous compact indoor floorcoverings | Heterogeneous indoor floorcoverings | Heterogeneous indoor floorcoverings | | | |
| | EN 14904 | | | | Heterogeneous indoor sports floorcoverings | Heterogeneous indoor sports floorcoverings | Heterogeneous indoor sports floorcoverings |
| Declaration of Performance | EN 14041 | 0120-003-DoP-2013-04 | 0120-006-DoP-2013-04 | 0120-026-DoP-2013-04 | | | |
| | EN 14904 | | | | 0120-080-DoP-2020-06 | 0120-095-DoP-2020-09 | 0120-071-DoP-2016-04 |
| TECHNICAL CHARACTERISTICS | | | | | | | |
| Total thickness | ISO 24346 (EN 428) | 2.0 mm | 3.45 mm | 5.0 mm | 6.2 mm | 8.1 mm | 9.4 mm |
| Total weight | ISO 23997 (EN 430) | 3 045 g/m² | 3 040 g/m² | 3 600 g/m² | 3950 g/m² | 4760 g/m² | 6 200 g/m² |
| Width | ISO 24341 (EN 426) | 2 m | 2 m | 2 m | 2 m | 2 m | 2 m |
| Length | ISO 24341 (EN 426) | 23 lm | 20.5 lm | 20.5 lm | 20.5 lm | 20.5 lm | 20.5 lm |
| REQUIREMENTS FOR USE | | | | | | | |
| Shock absorption *** | Average measured value | | ≥ 4% | ≥ 17% | P1 | P2 | P2 |
| | EN 14808 requirement | | | | ≥ 25% | ≥ 35% | ≥ 35% |
| Friction ➡ | Average measured value | Compliant | Compliant | Compliant | Compliant | Compliant | Compliant |
| | EN 13036-4 requirement | 80 to 110 | 80 to 110 | 80 to 110 | 80 to 110 | 80 to 110 | 80 to 110 |
| Vertical deformation ⬆ | Average measured value | | ≤ 0.8 mm | ≤ 1 mm | P1 | P2 | P2 |
| | EN 14809 requirement | | ≤ 5 mm | ≤ 5 mm | ≤ 2 mm | ≤ 3 mm | ≤ 3 mm |
| TECHNICAL REQUIREMENTS | | | | | | | |
| Vertical ball behaviour 🏐 | Average measured value | | Compliant | Compliant | Compliant | Compliant | Compliant |
| | EN 12235 requirement | | ≥ 90% | ≥ 90% | ≥ 90% | ≥ 90% | ≥ 90% |
| Reaction to fire | EN 13501-1 | Bfl s1* | Cfl s1* | Cfl s1* | Cfl s1+/** | Cfl s1+/** | Cfl s1+/** |
| Resistance to wear 🕒 | EN ISO 5470-1 | | ≤ 1g | ≤ 1g | ≤ 1g | ≤ 1g | ≤ 1g |
| Resistance to indentation ⬇ | Average measured value*** | | ≤ 0.18 mm | ≤ 0.16 mm | ≤ 0.1 mm | ≤ 0.3 mm | ≤ 0.5mm |
| | EN 1516 requirement | | ≤ 0.5 mm | ≤ 0.5 mm | ≤ 0.5 mm | ≤ 0.5 mm | ≤ 0.5 mm |
| Resistance to a rolling load 🛞 | Average measured value | | | Compliant | Compliant | Compliant | Compliant |
| | EN 1569 requirement | | | ≤ 0.5 mm | ≤ 0.5 mm | ≤ 0.5 mm | ≤ 0.5 mm |
| Transmitted impact noise | ISO 10140-3 | | 20dB | 20dB | 21dB | 21dB | 21dB |
| Thermal resistance | EN ISO 10456 | Approx. 0.02 m² K/W | Approx. 0.05 m² K/W | Approx. 0.07 m² K/W | Approx. 0.09 m² K/W | Approx. 0.12 m² K/W | Approx. 0.14 m² K/W |
| ENVIRONMENTAL PERFORMANCES | | | | | | | |
| Total VOC emissions | ISO 16000-9 | ≤ 10 µg/m³ (after 28 days) | ≤ 10 µg/m³ (after 28 days) | ≤ 10 µg/m³ (after 28 days) | ≤ 10 µg/m³ (after 28 days) | ≤ 10 µg/m³ (after 28 days) | ≤ 10 µg/m³ (after 28 days) |
| Recycled content | | 32% | 27% | 21% | 14% | 16% | 5% |
| COLOURS | | | | | | | |
| | | Solid: 16/ Wood: 8 | Solid: 16/ Wood: 8 | Solid: 16/ Wood: 8 | Solid: 16/ Wood: 8 | Solid: 16/ Wood: 8 | Solid: 3/ Wood: 3 |

The above information is subject to modification for the benefit of further improvement. (12/2023). * Glued installation ** GreenLay™ installation *** Measured on glued or with GreenLay™ Tarkett Sports' instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.





WORLD LEADER IN ATHLECTIC SURFACES



OMNISPORTS EN 12/2023 - 2060030069

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett Belux Sprl – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett Sports – Tel. +33 1 41 20 41 34 ■ Germany: Tarkett Holding GmbH – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett BV – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Fieldturf Poligras Tel: +34 630 93 67 71 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. složka – Tel. +420 271 001 600 ■ Hungary: Tarkett Polska SP Z.O.O. magyarországi fióktelepe – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o. o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizačná zložka – Tel. +421 2 48291 317 ■ **South East Europe:** Tarkett SEE – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett Flooring India Pvt. Ltd. – Bangalore – Tel. +91 80 4130 3793 – New Delhi – Tel. +91 11 4352 4073 – Mumbai – Tel. +91 22 2648 8750 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur – Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett – Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Latam Mexico – Tel. +55 11 98410 9310.

